

### SECTION 1: Identification

#### 1.1. Identification

Product form : Article  
Product name : Shotshell 8 Gauge Industrial Loaded Round  
Product code : 26627; 26625; 26629; 26655; 26634

#### 1.2. Recommended use and restrictions on use

Recommended use : Ammunition  
Restrictions on use : Uses other than listed on the manufacturer product label

#### 1.3. Supplier

Remington Arms Company, LLC  
1816 Remington Circle SW  
Huntsville, AL 35824  
T 1-800-243-9700 - F 1-336-548-7801

#### 1.4. Emergency telephone number

Emergency number : CHEMTREC 1-800-424-9300

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

##### GHS US classification

Expl. 1.4	H204	Fire or projection hazard
Carc. 1B	H350	May cause cancer
STOT RE 2	H373	May cause damage to organs through prolonged or repeated exposure

Full text of hazard classes and H-statements : see section 16

#### 2.2. GHS Label elements, including precautionary statements

##### GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) :

Danger

Hazard statements (GHS US) :

H204 - Fire or projection hazard  
H350 - May cause cancer  
H373 - May cause damage to organs through prolonged or repeated exposure

Precautionary statements (GHS US) :

P201 - Obtain special instructions before use.  
P202 - Do not handle until all safety precautions have been read and understood.  
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P240 - Ground/Bond container and receiving equipment.  
P250 - Do not subject to grinding/shock/friction.  
P260 - Do not breathe dust/fume/gas/mist/vapours/spray.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
P308+P313 - If exposed or concerned: Get medical advice/attention.  
P314 - Get medical advice/attention if you feel unwell.  
P370+P380 - In case of fire: Evacuate area.  
P372 - Explosion risk in case of fire.  
P373 - DO NOT fight fire when fire reaches explosives.  
P374 - Fight fire with normal precautions from a reasonable distance.  
P401 - Store in accordance with local regulations on explosives.  
P405 - Store locked up.  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

#### 2.3. Other hazards which do not result in classification

Other hazards not contributing to the classification : This product is considered an explosive article. Each product covered by this Safety Data Sheet is sealed ammunition. The ammunition contains hazardous substances, which under

# Shotshell 8 Gauge Industrial Loaded Round

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

normal conditions of use are not in contact with the user. If the item is fractured or intentionally disassembled prior to actuation, exposure to the contents of this ammunition may cause the following health effects. Toxic if swallowed, fatal in contact with skin, and harmful if inhaled. Contents may cause cancer, an allergic skin reaction, and damage to organs through prolonged or repeated exposure.

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	GHS US classification
Lead	(CAS-No.) 7439-92-1	0 - 76	Carc. 1B, H350
Copper	(CAS-No.) 7440-50-8	5 - 9	Not classified
Nitrocellulose	(CAS-No.) 9004-70-0	3 - 5	Expl. 1.1, H201
Aluminum	(CAS-No.) 7429-90-5	0 - 4	Flam. Sol. 1, H228 Water-react. 2, H261
Nitroglycerin	(CAS-No.) 55-63-0	1 - 3	Unst. Expl. H200 Acute Tox. 2 (Oral), H300 Acute Tox. 1 (Dermal), H310 Acute Tox. 2 (Inhalation:dust,mist), H330 STOT RE 2, H373 Aquatic Chronic 2, H411
Rosin	(CAS-No.) 8050-09-7	< 0.5	Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Sens. 1, H317

Comments : In normal conditions of use, the components cannot be released because of the form in which the article or preparation is placed on the market

This SDS covers multiple products all consisting of a load (lead, zinc), propellants, and primer components.

Full text of hazard classes and H-statements : see section 16

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

- First-aid measures general : If you feel unwell, seek medical advice (show the label where possible).  
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.  
First-aid measures after skin contact : Wash skin with plenty of water.  
First-aid measures after eye contact : Rinse eyes with water as a precaution.  
First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

### 4.2. Most important symptoms and effects (acute and delayed)

- Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.  
Chronic symptoms : May cause cancer.

### 4.3. Immediate medical attention and special treatment, if necessary

Not applicable.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media : Water spray. Dry powder. Foam.  
Unsuitable extinguishing media : Not determined.

### 5.2. Specific hazards arising from the chemical

- Explosion hazard : Explosion risk in case of fire.

### 5.3. Special protective equipment and precautions for fire-fighters

- Firefighting instructions : Evacuate area. Do not fight fire when fire reaches explosives. Fight fire with normal precautions from a reasonable distance.  
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

# Shotshell 8 Gauge Industrial Loaded Round

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures : No open flames, no sparks, and no smoking. Do not breathe dust/fume/gas/mist/vapours/spray. Only qualified personnel equipped with suitable protective equipment may intervene. Evacuate unnecessary personnel.

##### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Notify authorities if product enters sewers or public waters. In case of large spillages: Shovel or sweep up and put in a closed container for disposal. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Do not subject to grinding, shock, friction. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapours/spray. Do not handle until all safety precautions have been read and understood. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation.

Hygiene measures : Separate work clothes from street clothes. Launder separately. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

<b>Shotshell 8 Gauge Industrial Loaded Round</b>	
No additional information available	
<b>Zinc (7440-66-6)</b>	
No additional information available	
<b>Aluminum (7429-90-5)</b>	
<b>USA - ACGIH - Occupational Exposure Limits</b>	
ACGIH TWA (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup> (respirable particulate matter)
ACGIH chemical category	Not Classifiable as a Human Carcinogen
<b>USA - OSHA - Occupational Exposure Limits</b>	
OSHA PEL (TWA) (mg/m <sup>3</sup> )	15 mg/m <sup>3</sup> (total dust) 5 mg/m <sup>3</sup> (respirable fraction)
<b>Copper (7440-50-8)</b>	
<b>USA - ACGIH - Occupational Exposure Limits</b>	
ACGIH TWA (mg/m <sup>3</sup> )	0.2 mg/m <sup>3</sup> (fume) 1 mg/m <sup>3</sup> (dust and mist)
<b>USA - OSHA - Occupational Exposure Limits</b>	
OSHA PEL (TWA) (mg/m <sup>3</sup> )	0.1 mg/m <sup>3</sup> (fume) 1 mg/m <sup>3</sup> (dust and mist)
<b>Iron (7439-89-6)</b>	
No additional information available	

# Shotshell 8 Gauge Industrial Loaded Round

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Lead (7439-92-1)</b>	
<b>USA - ACGIH - Occupational Exposure Limits</b>	
ACGIH TWA (mg/m <sup>3</sup> )	0.05 mg/m <sup>3</sup>
ACGIH chemical category	Confirmed Animal Carcinogen with Unknown Relevance to Humans
<b>USA - ACGIH - Biological Exposure Indices</b>	
Biological Exposure Indices (BEI)	200 µg/l Parameter: Lead - Medium: blood - Sampling time: not critical (Note: Persons applying this BEI are encouraged to counsel female workers of child-bearing age about the risk of delivering a child with a PbB (lead in blood level) over the current CDC reference value.)
<b>USA - OSHA - Occupational Exposure Limits</b>	
OSHA PEL (TWA) (mg/m <sup>3</sup> )	50 µg/m <sup>3</sup>
<b>Nitrocellulose (9004-70-0)</b>	
No additional information available	
<b>Nitroglycerin (55-63-0)</b>	
<b>USA - ACGIH - Occupational Exposure Limits</b>	
ACGIH TWA (ppm)	0.05 ppm
ACGIH chemical category	Skin - potential significant contribution to overall exposure by the cutaneous route
<b>USA - OSHA - Occupational Exposure Limits</b>	
OSHA PEL (Ceiling) (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
OSHA PEL (Ceiling) (ppm)	0.2 ppm
Limit value category (OSHA)	prevent or reduce skin absorption
<b>Rosin (8050-09-7)</b>	
<b>USA - ACGIH - Occupational Exposure Limits</b>	
ACGIH chemical category	dermal sensitizer
<b>4SWAX520 (9002-88-4)</b>	
No additional information available	
<b>1-Butene, polymer with ethene (25087-34-7)</b>	
No additional information available	
<b>Polypropylene (9003-07-0)</b>	
No additional information available	

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.  
Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

#### Personal protective equipment:

A risk assessment should be conducted and documented in each work area to assess the risks related to the use of the product and to select the PPE that matches the relevant risk.

#### Hand protection:

Protective gloves

#### Eye protection:

Safety glasses

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Solid

# Shotshell 8 Gauge Industrial Loaded Round

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Appearance	: Solid.
Color	: Metallic
Odor	: odorless
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not flammable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: Not applicable
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: Not applicable
Explosive properties	: No data available
Oxidizing properties	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Fire or projection hazard.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

### 10.5. Incompatible materials

Not determined.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. On combustion, forms: carbon oxides (CO and CO<sub>2</sub>).

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified.
Acute toxicity (dermal)	: Not classified.
Acute toxicity (inhalation)	: Not classified.

<b>Nitrocellulose (9004-70-0)</b>	
LD50 oral rat	> 5 g/kg
<b>Nitroglycerin (55-63-0)</b>	
LD50 oral rat	100 mg/kg
LD50 dermal rabbit	> 280 mg/kg

# Shotshell 8 Gauge Industrial Loaded Round

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Nitroglycerin (55-63-0)</b>	
ATE US (oral)	5 mg/kg body weight
ATE US (dermal)	5 mg/kg body weight
ATE US (dust, mist)	0.05 mg/l/4h

<b>Rosin (8050-09-7)</b>	
LD50 oral rat	7600 mg/kg
LD50 dermal rabbit	> 2500 mg/kg
LC50 inhalation rat (mg/l)	1.5 mg/l/4h
ATE US (oral)	7600 mg/kg body weight
ATE US (vapors)	1.5 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: May cause cancer.

<b>Lead (7439-92-1)</b>	
IARC group	2A - Probably carcinogenic to humans
National Toxicology Program (NTP) Status	Reasonably anticipated to be Human Carcinogen
In OSHA Hazard Communication Carcinogen list	Yes

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : May cause damage to organs through prolonged or repeated exposure.

<b>Nitroglycerin (55-63-0)</b>	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Chronic symptoms	: May cause cancer.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

<b>Copper (7440-50-8)</b>	
LC50 fish 1	0.0068 - 0.0156 mg/l (Exposure time: 96 h - Species: Pimephales promelas)
EC50 Daphnia 1	0.03 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
LC50 fish 2	< 0.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])

<b>Lead (7439-92-1)</b>	
LC50 fish 1	0.44 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static])
EC50 Daphnia 1	600 µg/l (Exposure time: 48 h - Species: water flea)
LC50 fish 2	1.17 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])

<b>Nitroglycerin (55-63-0)</b>	
LC50 fish 1	0.87 - 3.25 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])
EC50 Daphnia 1	46 - 55 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 fish 2	0.87 - 2.21 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])

# Shotshell 8 Gauge Industrial Loaded Round

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Nitroglycerin (55-63-0)	
EC50 Daphnia 2	38 - 55 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])

Rosin (8050-09-7)	
EC50 Daphnia 1	3.8 - 5.4 mg/l (Exposure time: 48 h - Species: Daphnia magna)

### 12.2. Persistence and degradability

Shotshell 8 Gauge Industrial Loaded Round	
Persistence and degradability	Not established.

### 12.3. Bioaccumulative potential

Shotshell 8 Gauge Industrial Loaded Round	
Bioaccumulative potential	Not established.

### 12.4. Mobility in soil

Shotshell 8 Gauge Industrial Loaded Round	
Ecology - soil	Not established.

### 12.5. Other adverse effects

Effect on global warming : Not established

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.  
Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

## SECTION 14: Transport information

### Department of Transportation (DOT)

In accordance with DOT

Transport document description : UN0012 Cartridges, small arms, 1.4, II  
UN-No.(DOT) : UN0012  
Proper Shipping Name (DOT) : Cartridges, small arms  
Class (DOT) : 1.4 - Class 1.4 - Explosives (with no significant blast hazard) 49 CFR 173.50  
Packing group (DOT) : II - Medium Danger  
DOT Packaging Non Bulk (49 CFR 173.xxx) : 62  
DOT Packaging Bulk (49 CFR 173.xxx) : None  
DOT Packaging Exceptions (49 CFR 173.xxx) : 63  
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) : 25 kg  
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) : 100 kg  
DOT Vessel Stowage Other : 25 - Protected from sources of heat  
Other information : No supplementary information available.

### Transport by sea

Transport document description (IMDG) : UN 0012 CARTRIDGES, SMALL ARMS, 1.4  
UN-No. (IMDG) : 0012  
Proper Shipping Name (IMDG) : CARTRIDGES, SMALL ARMS  
Class (IMDG) : 1 - Explosives  
Limited quantities (IMDG) : 5 kg

# Shotshell 8 Gauge Industrial Loaded Round

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Air transport

Transport document description (IATA) : UN 0012 Cartridges, small arms, 1.4S  
UN-No. (IATA) : 0012  
Proper Shipping Name (IATA) : Cartridges, small arms  
Class (IATA) : 1 - Explosive

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

#### Shotshell 8 Gauge Industrial Loaded Round

SARA Section 311/312 Hazard Classes	Physical hazard - Explosive Health hazard - Carcinogenicity
-------------------------------------	--

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

4SWAX520	CAS-No. 9002-88-4	6 - 10%
----------	-------------------	---------

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

Zinc	CAS-No. 7440-66-6	2 - 75%
Aluminum	CAS-No. 7429-90-5	0 - 4%
Copper	CAS-No. 7440-50-8	5 - 9%
Lead	CAS-No. 7439-92-1	0 - 76%
Antimony	CAS-No. 7440-36-0	< 1%
Nitroglycerin	CAS-No. 55-63-0	1 - 3%

#### Zinc (7440-66-6)

CERCLA RQ	454 kg no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 µm
-----------	--

#### Copper (7440-50-8)

CERCLA RQ	5000 lb no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 µm
-----------	---

#### Lead (7439-92-1)

CERCLA RQ	10 lb no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 µm
-----------	---

#### Nitrocellulose (9004-70-0)

EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).
--------------------------	---

#### Nitroglycerin (55-63-0)

CERCLA RQ	10 lb
-----------	-------

#### 1-Butene, polymer with ethene (25087-34-7)

EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).
--------------------------	---

#### Polypropylene (9003-07-0)

EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).
--------------------------	---

### 15.2. International regulations

#### CANADA

##### Zinc (7440-66-6)

Listed on the Canadian DSL (Domestic Substances List)

##### Aluminum (7429-90-5)

Listed on the Canadian DSL (Domestic Substances List)

##### Copper (7440-50-8)

Listed on the Canadian DSL (Domestic Substances List)



# Shotshell 8 Gauge Industrial Loaded Round

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Iron (7439-89-6)</b>	
Listed on the Canadian DSL (Domestic Substances List)	
<b>Lead (7439-92-1)</b>	
Listed on the Canadian DSL (Domestic Substances List)	
Toxic Substance (CEPA – Schedule I)	Yes
<b>Nitrocellulose (9004-70-0)</b>	
Listed on the Canadian DSL (Domestic Substances List)	
<b>Nitroglycerin (55-63-0)</b>	
Listed on the Canadian DSL (Domestic Substances List)	
<b>Rosin (8050-09-7)</b>	
Listed on the Canadian DSL (Domestic Substances List)	
<b>1-Butene, polymer with ethene (25087-34-7)</b>	
Listed on the Canadian DSL (Domestic Substances List)	
<b>Polypropylene (9003-07-0)</b>	
Listed on the Canadian DSL (Domestic Substances List)	

### EU-Regulations

<b>Zinc (7440-66-6)</b>	
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)	
<b>Aluminum (7429-90-5)</b>	
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)	
<b>Copper (7440-50-8)</b>	
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)	
<b>Iron (7439-89-6)</b>	
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)	
<b>Lead (7439-92-1)</b>	
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)	
<b>Nitroglycerin (55-63-0)</b>	
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)	
<b>Rosin (8050-09-7)</b>	
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)	

### National regulations

<b>Zinc (7440-66-6)</b>	
Listed on the AICS (Australian Inventory of Chemical Substances)	
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)	
Listed on the Korean ECL (Existing Chemicals List)	
Listed on NZIoC (New Zealand Inventory of Chemicals)	
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)	
Listed on INSQ (Mexican National Inventory of Chemical Substances)	
Listed on CICR (Turkish Inventory and Control of Chemicals)	
Listed on the TCSI (Taiwan Chemical Substance Inventory)	
<b>Aluminum (7429-90-5)</b>	
Listed on the AICS (Australian Inventory of Chemical Substances)	
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)	
Listed on the Korean ECL (Existing Chemicals List)	
Listed on NZIoC (New Zealand Inventory of Chemicals)	
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)	
Listed on INSQ (Mexican National Inventory of Chemical Substances)	
Listed on CICR (Turkish Inventory and Control of Chemicals)	
Listed on the TCSI (Taiwan Chemical Substance Inventory)	

# Shotshell 8 Gauge Industrial Loaded Round

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Copper (7440-50-8)

Listed on the AICS (Australian Inventory of Chemical Substances)  
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on the Korean ECL (Existing Chemicals List)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
Listed on INSQ (Mexican National Inventory of Chemical Substances)  
Listed on CICR (Turkish Inventory and Control of Chemicals)  
Listed on the TCSI (Taiwan Chemical Substance Inventory)

### Iron (7439-89-6)

Listed on the AICS (Australian Inventory of Chemical Substances)  
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on the Korean ECL (Existing Chemicals List)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
Listed on INSQ (Mexican National Inventory of Chemical Substances)  
Listed on CICR (Turkish Inventory and Control of Chemicals)  
Listed on the TCSI (Taiwan Chemical Substance Inventory)

### Lead (7439-92-1)

Listed on the AICS (Australian Inventory of Chemical Substances)  
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on the Korean ECL (Existing Chemicals List)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
Japanese Pollutant Release and Transfer Register Law (PRTR Law)  
Listed on INSQ (Mexican National Inventory of Chemical Substances)  
Listed on CICR (Turkish Inventory and Control of Chemicals)  
Listed on the TCSI (Taiwan Chemical Substance Inventory)

### Nitrocellulose (9004-70-0)

Listed on the AICS (Australian Inventory of Chemical Substances)  
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory  
Listed on the Japanese ISHL (Industrial Safety and Health Law)  
Listed on the Korean ECL (Existing Chemicals List)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
Listed on INSQ (Mexican National Inventory of Chemical Substances)  
Listed on the TCSI (Taiwan Chemical Substance Inventory)

### Nitroglycerin (55-63-0)

Listed on the AICS (Australian Inventory of Chemical Substances)  
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory  
Listed on the Japanese ISHL (Industrial Safety and Health Law)  
Listed on the Korean ECL (Existing Chemicals List)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
Japanese Pollutant Release and Transfer Register Law (PRTR Law)  
Listed on INSQ (Mexican National Inventory of Chemical Substances)  
Listed on the TCSI (Taiwan Chemical Substance Inventory)

### Rosin (8050-09-7)

Listed on the AICS (Australian Inventory of Chemical Substances)  
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory  
Listed on the Japanese ISHL (Industrial Safety and Health Law)  
Listed on the Korean ECL (Existing Chemicals List)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
Listed on INSQ (Mexican National Inventory of Chemical Substances)  
Listed on CICR (Turkish Inventory and Control of Chemicals)  
Listed on the TCSI (Taiwan Chemical Substance Inventory)

# Shotshell 8 Gauge Industrial Loaded Round

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 1-Butene, polymer with ethene (25087-34-7)

Listed on the AICS (Australian Inventory of Chemical Substances)  
 Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
 Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory  
 Listed on the Japanese ISHL (Industrial Safety and Health Law)  
 Listed on the Korean ECL (Existing Chemicals List)  
 Listed on NZIoC (New Zealand Inventory of Chemicals)  
 Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
 Listed on the TCSI (Taiwan Chemical Substance Inventory)

### Polypropylene (9003-07-0)

Listed on the AICS (Australian Inventory of Chemical Substances)  
 Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
 Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory  
 Listed on the Japanese ISHL (Industrial Safety and Health Law)  
 Listed on the Korean ECL (Existing Chemicals List)  
 Listed on NZIoC (New Zealand Inventory of Chemicals)  
 Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
 Listed on INSQ (Mexican National Inventory of Chemical Substances)  
 Listed on the TCSI (Taiwan Chemical Substance Inventory)

## 15.3. US State regulations

**WARNING:** This product can expose you to Lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Component	State or local regulations
Zinc(7440-66-6)	U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List; U.S. - Pennsylvania - RTK (Right to Know) List
Aluminum(7429-90-5)	U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List; U.S. - Pennsylvania - RTK (Right to Know) List
Copper(7440-50-8)	U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List; U.S. - Pennsylvania - RTK (Right to Know) List
Lead(7439-92-1)	U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List; U.S. - Pennsylvania - RTK (Right to Know) List
Antimony(7440-36-0)	U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List; U.S. - Pennsylvania - RTK (Right to Know) List
Nitrocellulose(9004-70-0)	U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List
Nitroglycerin(55-63-0)	U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List; U.S. - Pennsylvania - RTK (Right to Know) List

## SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 02/18/2020  
 Other information : **DISCLAIMER OF LIABILITY** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

# Shotshell 8 Gauge Industrial Loaded Round

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Full text of H-phrases:

Acute Tox. 1 (Dermal)	Acute toxicity (dermal) Category 1
Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2
Acute Tox. 2 (Oral)	Acute toxicity (oral) Category 2
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Carc. 1B	Carcinogenicity Category 1B
Expl. 1.1	Explosive Category 1.1
Expl. 1.4	Explosive Category 1.4
Flam. Sol. 1	Flammable solids Category 1
Skin Sens. 1	Skin sensitization, Category 1
STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2
Unst. Expl	Unstable explosives
Water-react. 2	Substances and mixtures which in contact with water emit flammable gases Category 2
H200	Unstable explosive
H201	Explosive; mass explosion hazard
H204	Fire or projection hazard
H228	Flammable solid
H261	In contact with water releases flammable gas
H300	Fatal if swallowed
H310	Fatal in contact with skin
H317	May cause an allergic skin reaction
H330	Fatal if inhaled
H332	Harmful if inhaled
H350	May cause cancer
H373	May cause damage to organs through prolonged or repeated exposure
H411	Toxic to aquatic life with long lasting effects

SDS US (GHS HazCom 2012)

*DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable*